

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	("5353421" "5761515" "5854928" "6631514" "6631528" "6631528" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:46
S2	10	("5353421" "5761515" "5854928" "6631514" "6631528" "6631528" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:47
S3	12	("5353421" "5761515" "5854928" "6631514" "6631528" "6631518" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:56
S4	1	2002/0010851	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:56
S5	92	717/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S6	55	717/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S7	191	717/141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S8	166	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S9	1666	speculat\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:04

S10	15	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and predetermin\$3 adj condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:05
S11	620	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:05
S12	540	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:06
S13	34	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3 and (exceed\$3 near3 (value or count))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S14	792	speculat\$5 and compil\$5 and loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S15	55	speculat\$5 and compil\$5 and (repeat\$3 or repetitive) near3 loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S16	410	(speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3) and (speculat\$5 and compil\$5 and loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:56
S17	3	generat\$3 near3 (object adj code) and speculat\$6 and ((control\$4 or transfer\$4) near5 (fail\$4 or condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:59
S18	31	generat\$3 near3 (object adj code) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 18:25
S19	2	generat\$3 near3 ((multiple or plurality) near3 (object adj code)) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:29
S20	0	"6463579".URPN.	USPAT	OR	OFF	2003/12/08 18:28

S21	13	("4667290" "5287510" "5613117" "5655122" "5692169" "5701489" "5778219" "5778233" "5790867" "5854928" "6070009" "6202204" "6338133").PN.	USPAT	OR	OFF	2003/12/08 18:28
S22	5	"5854928".URPN.	USPAT	OR	OFF	2003/12/09 07:22
S23	4248	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:35
S24	0	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:33
S25	670	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:33
S26	389	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:34
S27	137	compil\$5 and (control\$4 or transfer\$4) near5 (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:35
S28	912	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:12

S29	37	(compil\$5 and (control\$4 or transfer\$4) near5 (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:36
S30	2884	compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) near5 (speculat\$5 or predict\$3 or branch or predicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:14
S31	155	compil\$5 same (control\$4 or transfer\$4 or direct\$3 or redirecr\$3) same (maximum or threshold or fail\$3 or detect\$3 or condition or counter) near5 (speculat\$5 or predict\$3 or branch or predicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:15
S32	149	(compil\$5 same (control\$4 or transfer\$4 or direct\$3 or redirecr\$3) same (maximum or threshold or fail\$3 or detect\$3 or condition or counter) near5 (speculat\$5 or predict\$3 or branch or predicat\$3)) not ((compil\$5 and (control\$4 or transfer\$4) near5 (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:37
S33	2	"6446197".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:41

S34	100	(compil\$5 and (control\$4 or transfer\$4) near5 (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)) not ((compil\$5 and (control\$4 or transfer\$4) near5 (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5)) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:06
S35	11	"6092180".URPN.	USPAT	OR	OFF	2003/12/09 08:59
S36	21	("4590550" "4821178" "4845615" "5103394" "5151981" "5446876" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5664193" "5699537" "5715463" "5752037" "5802386" "5854934").PN.	USPAT	OR	OFF	2003/12/09 09:03
S37	11	"5960198".URPN.	USPAT	OR	OFF	2003/12/09 09:46
S38	22	("4847755" "4914590" "4947315" "5014185" "5021945" "5179703" "5193180" "5212794" "5265254" "5333304" "5335344" "5355487" "5412799" "5428782" "5450586" "5465258" "5517628" "5522036" "5535329" "5539907" "5752062" "5768500").PN.	USPAT	OR	OFF	2003/12/09 09:51
S39	2272	compil\$5 same static\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:07

S40	16367	compil\$5 same static\$4 sa,e (object adj code) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:08
S41	10	compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S42	24	compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S43	14	(compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3))) not (compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4) and (threshold or fail\$3 or detect\$3 or condition or counter) and ((plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S44	5843	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near3 taken)) same (count\$3 or number or frequen\$3 or value or increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:17
S45	4613	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near3 taken)) same (count\$3 or number or frequen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18

S46	4469	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near2 taken)) same (count\$3 or number or frequen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18
S47	1334	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near2 taken)) same (count\$3 or number or frequen\$3) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18
S48	907	(speculat\$6) same (count\$3 or number or frequen\$3) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:19
S49	471	(speculation or speculative) same (count\$3 or number or frequen\$3) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:19
S50	561	(speculation or speculative) same (count\$3 or number or frequen\$3) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S51	12	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:23
S52	1	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same (object adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:24
S53	10	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same fail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S54	33	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:43
S55	10	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same fail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42

S56	15	(speculation or speculative) same (count\$3 or number or frequen\$3) and (static\$4 near3 optimiz\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S57	6	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3) and (static\$4 near5 (optimiz\$5 or compil\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S58	33	(speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S59	843	"l33" not ((speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3) and (static\$4 near5 (optimiz\$5 or compil\$5))) not ((speculation or speculative) near5 (count\$3 or number or frequen\$3) same fail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S60	17	((speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3)) not ((speculation or speculative) near5 (count\$3 or number or frequen\$3) same (fail\$3 or success\$3 or unsuccess\$3) and (static\$4 near5 (optimiz\$5 or compil\$5))) not ((speculation or speculative) near5 (count\$3 or number or frequen\$3) same fail\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:50
S61	0	(instruction adj schedul\$3) near5 (alternat\$3 or choice or choose) same (fial\$3 or success\$5 or unsuccess\$5 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:51
S62	6	(instruction adj schedul\$3) near5 (alternat\$3 or choice or choose)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:52
S63	81	(instruction adj (sequenc\$3 or path or schedul\$3)) near5 (alternat\$3 or choice or choose)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:53

S64	6	(instruction adj (sequenc\$3 or path or schedul\$3)) near5 (alternat\$3 or choice or choose) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:56
S65	208	(sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error) same (alternat\$3 or choice or choose) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:05
S66	40	(sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error) near5 (alternat\$3 or choice or choose) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:57
S67	162	(sequenc\$3 or path or schedul\$3) and (fail\$4 or error) and (alternat\$3 or choice or choose) same (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:58
S68	0	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success) same (alternat\$3 or choice or choose) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:07
S69	199	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success) and (alternat\$3 or choice or choose) and (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:08
S70	18	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success) and (alternat\$3 or choice or choose) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:28

S71	0	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) same (profil\$3 or trac\$3 or instrument\$3) near5 (fail\$4 or error or unsuccessful or success) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:29
S72	78	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) and (profil\$3 or trac\$3 or instrument\$3) and (fail\$4 or error or unsuccessful or success) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:33
S73	1	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3)) and (profil\$3 or trac\$3 or instrument\$3) and (fail\$4 or error or unsuccessful or success) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:35
S74	2	(profil\$3 or trac\$3 or instrument\$3 or optimiz\$5) near5 (fail\$4 or error or unsuccessful or success) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:37
S75	58	(profil\$3 or trac\$3 or instrument\$3 or optimiz\$5) and (fail\$4 or error or unsuccessful or success) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:11
S76	585	(fail\$4 or error or unsuccessful or success) near5 (frequency or count\$3 or frequencies or "number of times" or data or meta or metadata) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:12
S77	78	(fail\$4 or error or unsuccessful or success) near5 (frequency or count\$3 or frequencies or "number of times" or data or meta or metadata) same (compil\$5 or optimiz\$5 or profil\$3 or trace or tracing or speculate or speculative or (branch near3 predict\$3)) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:43
S78	7	("5933635" "5956479" "5995754" "6044475" "6067641" "6105148" "6240547").PN.	USPAT	OR	OFF	2003/12/10 12:18

S79	0	"6658656".URPN.	USPAT	OR	OFF	2003/12/10 12:21
S80	328	dynamic adj (optimiz\$5 or optimis\$5) and (control\$3 or transfer\$4 or select\$3 or choos\$3 or choice) and ((code adj motion) or invariant or speculat\$3 or (memory adj disambiguation) or predicat\$3 or guard\$3 or condition\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:06
S81	166	(dual or plurality) near3 (object adj (code or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:06
S82	14	("5353421" "5761515" "5854928" "6631514" "6631528" "6631518" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:07
S83	42	generat\$3 near3 ((multiple or plurality) near S82 (object adj code)) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:07
S84	3	generat\$3 near3 ((dual or multiple or plurality) near3 (object adj code)) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:18
S85	1	("6463579").URPN.	USPAT	OR	OFF	2005/01/27 17:13
S86	1372	path near3 probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:19
S87	2	S80 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:19
S88	22	("6463582").URPN.	USPAT	OR	OFF	2005/01/27 17:22
S89	34	speculation adj mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:12
S90	175	(one-time or single) adj compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 09:34

S91	34	(parallel or dual) near2 (object adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:27
S92	4	"speculative check instruction"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:53
S93	9	"speculation failure"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:16
S94	0	("6292939").URPN.	USPAT	OR	OFF	2005/01/31 10:38
S95	10	("5535393" "5778423" "5781775" "5802374" "5873105" "5953736" "6016505" "6081665" "6098089" "6216174").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 10:38
S96	1	("6640315").URPN.	USPAT	OR	OFF	2005/01/31 10:57
S97	9294	failure near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:18
S98	36	failure near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:20
S99	36	failure near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:48
S10 0	6	(choos\$3 near3 path) near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:52
S10 1	8	("4709377" "4742533" "4833693" "4945549" "5134635" "5181209" "5214675" "5398254").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 11:51

S10 2	174	((choos\$3 or select\$3 or optimal or rout\$3) near3 (path or control)) near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:36
S10 3	2	"6574578".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 16:14
S10 4	1	(speculat\$3 near3 recovery) near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:18
S10 5	1	(speculat\$3 near5 recovery) near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:18
S10 6	33	(speculat\$3 same recovery) same (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:19
S10 7	22	("5649136").URPN.	USPAT	OR	OFF	2005/01/31 16:26
S10 8	17	("5649136").URPN. and (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	USPAT	OR	OFF	2005/02/01 07:16
S10 9	20963	EXECUT\$3 same CONTROL\$4 same (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold)	USPAT	OR	ON	2005/02/01 07:18
S11 0	1661	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold)	USPAT	OR	ON	2005/02/01 07:19
S11 1	0	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) and (recovery adj code)	USPAT	OR	ON	2005/02/01 07:19

S11 2	10	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) and speculat\$3	USPAT	OR	ON	2005/02/01 07:26
S11 3	9	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 fail\$3	USPAT	OR	ON	2005/02/01 07:27
S11 4	99	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 fail\$3 same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3)	USPAT	OR	ON	2005/02/01 07:57
S11 5	5799	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3)	USPAT	OR	ON	2005/02/01 07:56
S11 6	351	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (fail\$3 or branch near2 taken) same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3)	USPAT	OR	ON	2005/02/01 07:58
S11 7	351	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (fail\$3 or (branch near2 taken)) same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3)	USPAT	OR	ON	2005/02/01 07:59
S11 8	252	S116 not S114	USPAT	OR	ON	2005/02/01 07:59
S11 9	130	("5142634").URPN.	USPAT	OR	OFF	2005/02/01 08:24
S12 0	408727	("5142634").URPN. amd loop\$3	USPAT	OR	ON	2005/02/01 08:23
S12 1	71	("5142634").URPN. and loop\$3	USPAT	OR	ON	2005/02/01 10:09
S12 2	1	generat\$3 adj (object adj code) same recovery	USPAT	OR	ON	2005/02/01 11:03
S12 3	1	"6463579".pn. and (loop\$3 or branch\$3)	USPAT	OR	ON	2005/02/01 11:04